

**SAFETY • COMFORT • RELIABILITY** 

# AFIKIM Since 1978







#### Since 1978 The Afiscooters are the benchmark for:





# Our Mission





#### Afiscooter SE



An icon in the

world of personal

electric mobility






Environmentally friendly and highly efficient maintenance vehicle

Reliable electronic command system for easy operation.

3 Extra large wheels for maximum maneuverability and outdoor performance





		Afiscooter SE		
		Single	Dual Seat	
Overall Length		158cm (62")	166 cm (65")	
Overall Width	Standard Wheels	73cm (29")	91 cm (36")	
Overall Height	(-) Canopy	124cm (49")	101 cm (40")	
	(+) Canopy	202cm (79")	180cm (70")	
Ground Clearance		12.5cm (5")		
Weight	(+) Batteries	146kg (322lb)	163kg (359lb)	
	(-) batteries	99kg (218lb)	116kg (256lb)	
Weight Capacity	Incl. Driver	200kg (500lb)		
Travel Range		45km (28m)		
Maximum speed		15km/h (9.3mph)	12km/h (7.5mph	
Max Climbing Angle		20%		
Turning Radius		115cm (45")		
Seating Width		46cm (18")	85cm (33")	
Tire type		Pneumatic		
Tire size	Front Tyres	2.75×10"		
	Rear Tyres	2.75×12"		
Battery type	two	12V 73Ah		
Power unit	Rear wheel drive	24V DC motor   1,300W		
Charger type		8Amp		
Color		Black & Chrome		



<sup>\*</sup> Speed limit varies between the different countries according to the local regulation of each county.

\*\* U.S model | Tested by manufacturer, based on actual parameters | The above specifications subject to change without notice

## The New Afiscooter S





### The New Afiscooter S



Comfort

Front Lock compartment



Excellent Weather protection - Canopy and option for full rain protection

Ergonomic tiller offering optimal arm positioning and operational comfort

A luxury New high back rest orthopedic seat

The best full suspension system for smooth and enjoyable ride


Cup holders



#### The New Afiscooter S







		Afiscooter S3		Afiscooter S4		
		Single	Dual Seat	Single	Dual Seat	
Overall Length		155cr	155cm (61")		165cm (65")	
Overall Width	Standard Wheels	68cm (27")	96cm (37")	68cm (27")	96cm (37")	
	Golf Tires	88cm (35")	96cm (37")	88cm (35")	96cm (37")	
Overall Height	(-) Canopy	125cm (49")		125cm (49")		
	(+) Canopy	164cm (65")		164cm (65")		
Ground Clearance		12.5cm (5")		12.5cm (5")		
Weight	(+) Batteries	153kg (337lb)	163kg (359lb)	155kg (342lb)	165kg (364lb	
	(-) batteries	106kg (234lb)	116kg (256lb)	108kg (238lb)	118kg (260lb	
	(+) Canopy	+15Kg (33lb)				
	(+) Wide Wheels	+12kg (+26lb)				
Weight Capacity Incl. Driver		200kg (450lb)				
Travel Range	(+) Batteries	45-50km (28-31m)				
Maximum speed		10-15Kph (6.2-9.3mph)*				
Max Climbing Angle		8° (15%) 15Kph, 11° (20%) 12Kph				
Turning Radius		143cm (56")		228cm (90")		
Seating Width		51cm (20")	85cm (33")	51cm (20")	85cm (33")	
Tire type		Pneumat	ic (1.7bar)	Pneumat	ic (1.7bar)	
Tire size	Front Tyres	3-10"		4.10/3.50-6"		
	Rear Tyres	3.50-10"		3.50-10"		
Battery type	two	12V 105Ah, Max.				
Power unit	Rear wheel drive	24V DC motor   1,400W				
Controller type		SD 140A				
Charger type		8Amp				
Options/Accessories		Left speed lever.   Pedal operation   Canopy   Winter light sides close (Rain Cover)   Wide seats 22" & 24"   Golf Bag holder   Crutch Holder   Golf Tires				

<sup>\*</sup> Speed limit varies between the different countries according to the local regulation of each count

<sup>\*\*</sup> U.S model | Tested by manufacturer, based on actual parameters | The above specifications subject to change without notice



### The New Afiscooter C



# Safety

Plastic Shrouds designed to maximize the protection of the driver from Road debris



New design of Tiller with LCD display

Stronger LED front light



# The New Afiscooter C



#### Comfort

A luxury New high back rest orthopedic seat

The best full suspension & pneumatic tires for ultimate comfort



compartment

Cup holders

New Rims (design like Afiscooter S)



## The New Afiscooter C



# Reliability

Improved Travel range – can carry batteries up to 73 Ah (20-25% increase in travel range)

World class batteries



**40 years** of develop and manufacturing mobility scooters

A 950W motor the best and reliable motor in the category



Less then 2% warranty claim





		Afiscooter C3	Afiscooter C4	
Overall Length		130cm (51")	137cm (54")	
Overall Width	Standard Wheels	67cm (26")		
Overall Height	Folded	80cm (31")		
	(-) Canopy	128cm (50")		
	(+) Canopy	163cm (65")		
Ground Clearance		10cm (4")		
Weight	(-) Batteries	75kg (165lb)	95kg (209lb)	
	(+) Canopy	+12Kg (26lb)		
Weight Capacity	Incl. Driver	135kg (297lb)	150kg (330lb)	
Travel Range	(+) Batteries	40-45km (25-28m)		
Maximum Speed		10-15Kph (6.2-9.3mph)*		
Max Climbing Angle		9° (16%)		
Turning Radius		128cm (50")	170cm (67")	
Seating Width		46cm (18")		
Tire Type		Pneumatic (1.7 bar)		
Tivo Cino	Front Tyres	4.10/3.50-6"		
Tire Size	Rear Tyres	4.10/3.	50-6"	
Battery Type	two	12V 85Ah, Max.		
Power Unit	Rear wheel drive	24V DC motor   950W		
Controller Type		SD 120A		
Charger Type		8 Amp		
Options/Accessories		Canopy   Rear lock box   Wide seats 20" Crutch Holder		

<sup>\*</sup> Speed limit varies between the different countries according to the local regulation of each county.

\*\* U.S model | Tested by manufacturer, based on actual parameters | The above specifications subject to change without notice



# Why Afikim?

- Because no one knows mobility scooters like Afikim!
- Tens of thousands of our mobility scooters are in daily use around the world and with a long-lasting proven track record the 'Afiscooter' brand has become a synonymous with Safety, Comfort, Reliability.
- We take pride in knowing that Afikim Electric Vehicles has a positive impact on the independence, peace of mind and overall quality of life of our customers.







Thank you for watching